AWTA PRODUCT TESTING

Australian Wool Testing Authority Ltd - trading as AWTA Product Testing A.B.N 43 006 014 106

1st Floor, 191 Racecourse Road, Flemington, Victoria 3031 P.O Box 240, North Melbourne, Victoria 3051 Phone (03) 9371 2400 Fax (03) 9371 2499

## **TEST REPORT**

Client : Oslek Floorir 18 Monomee Mitcham VIC	eth Drive		Test Numbe Issue Date Print Date	er : : :	15-00338 04/08/201 6/08/2015	15
Sample Description	Clients Ref : "Australian Oak" Engineered timber flooring Colour : Natural Nominal Composition : Eucalyp Nominal Mass per Unit Area/Densit Nominal Thickness : 15mm	-	vith Victorian Ash Ve m2	neer		
/ISO 9239.1-2003	Reaction to Fire Tests for Floorin Radiant Heat Source	gs. Determinatio	on of the Burning B	ehavi	our using a	
	Date of Sample Arrival 10/07/2015					
	Date of Sample Arrival		10/07/2015			
	Date of Sample Arrival Date Tested		10/07/2015 04/08/2015			
		1		3	Mean	
	Date Tested	1 4.3	04/08/2015	3	Mean	kW/m²
	Date Tested		04/08/2015 2 -		Mean - 3.5	
	Date Tested CHF Value Length	4.3	04/08/2015 2 -	-	-	
	Date Tested CHF Value Length Width	4.3 3.6	04/08/2015 2 - 3.5 3	- 9.5	3.5	kW/m² kW/m² %.min
	Date Tested CHF Value Length Width Smoke Value	4.3 3.6 1	04/08/2015 2 - 3.5 3 2 -	- 3.5	3.5	kW/m²

conditions of the test, they are not intended to be sole criterion for assessing the potential fire hazard of the product in use.

Sample was conditioned in accordance with BSEN 13238:2001 at a temperature of 23±2°C and relative humidity of 50±5% for a minimum of 48 hours prior to testing.

Each specimen was clamped to a substrate of 6mm thick fibre reinforced cement board prior to testing.

31748 6114 Page 1 of 1 Australian Wool testing Authority Ltd Copyright - All Rights Reserved Accredited for compliance with ISO/IEC 17025 Chemical Testing Accreditation No 983 NATA - Mechanical Testing Accreditation No 985 Performance & Approvals Testing : Accreditation No 1356 Samples and their identifying descriptions have been provided by the client unless otherwise stated. AWTA Ltd makes no warranty, implied or otherwise, as to the source of the tested samples. The above test results relate only to the sample or samples tested. This document shall not be reproduced except in full and shall be rendered void if amended or altered. This document, the names AWTA Product Testing and AWTA Ltd may be used in advertising providing the content and format of the advertisement have been approved by the Managing Director of AWTA Ltd.



## HAFL A. JACKSON B.Sc.(Hons)

APPROVED SIGNATORY

C